ELSEVIER

Neuroscience Letters 382 (2005) I–III

Neuroscience Letters

www.elsevier.com/locate/neulet

Contents to Volume 382

Volume 382, nos 1–2

Effects of an intense training on functional activity of 5-HT_{1B} receptors in human peripheral blood lymphocytes
M. Chennaoui, C. Drogou, D. Gomez-Merino and C.Y. Guezennec (France) 1
Frequency dependent effects of subthalamic nucleus stimulation in Parkinson's disease
N. Fogelson, A.A. Kühn, P. Silberstein, P.D. Limousin, M. Hariz, T. Trottenberg, A. Kupsch and P. Brown (UK, Germany) 5
Early hypergravity exposure effects calbindin-D28k and inositol-3-phosphate expression in Purkinje cells
V. Bouët, F. Dijk, J. IJkema-Paassen, R.J. Wubbels, J.J. van der Want and A. Gramsbergen (The Netherlands) 10
Enhanced cone dysfunction in rats homozygous for the P23H rhodopsin mutation
I. Pinilla, R.D. Lund and Y. Sauvé (USA, Spain) 16
Comparison of hippocampal synaptosome proteins in young-adult and aged rats
Y. Sato, H. Yamanaka, T. Toda, Y. Shinohara and T. Endo (Japan) 22
Decreased BDNF in serum of patients with chronic schizophrenia on long-term treatment with antipsychotics
Y.L. Tan, D.F. Zhou, L.Y. Cao, Y.Z. Zou and X.Y. Zhang (PR China, USA) 27
No association between common variations in the human alpha 2 subunit gene (ATP1A2) of the sodium–potassium-transporting ATPase and idiopathic generalized epilepsy
F.W. Lohoff, T.N. Ferraro, T. Sander, H. Zhao, J.P. Dahl, W.H. Berrettini and R.J. Buono (USA, Germany) 33
Coupled bilateral movements and active neuromuscular stimulation: Intralimb transfer evidence during bimanual aiming
J.H. Cauraugh, S.B. Kim and A. Duley (USA) 39
Chronic intracerebroventricular NGF administration improves working memory in young adult memory deficient rats
E. Jakubowska-Doğru and U. Gümüşbaş (Turkey) 45
Genetic deletion of the norepinephrine transporter decreases vulnerability to seizures
R.M. Kaminski, T.S. Shippenberg, J.M. Witkin and B.A. Rocha (USA) 51
Are paragriseal cells in the avian lumbosacral spinal cord displaced ventral spinocerebellar tract neurons?
R. Necker (Germany) 56
Toxicity of semaphorin3A for dopaminergic neurons
T. Yasuhara, T. Shingo, K. Muraoka, M. Kameda, T. Agari, Y. wenji, T. Hishikawa, T. Matsui, Y. Miyoshi, T. Kimura, C.V. Borlongan and I. Date (Japan, USA) 61
Colocalization of vesicular glutamate transporters in the rat superior olivary complex
B. Billups (UK) 66
Beneficial effect of flavonoid baicalein in cisplatin-induced cell death of human glioma cells
S.W. Lee, G.S. Song, C.H. Kwon and Y.K. Kim (South Korea) 71
Cortical organization of sensory corrections in visuomotor skill acquisition
S. Mitra, A. Bhalerao, P. Summers and S.C.R. Williams (UK) 76
Differential expression of protease M/neurosin in oligodendrocytes and their progenitors in an animal model of multiple sclerosis
R. Terayama, Y. Bando, Y.-P. Jiang, B. Mitrovic and S. Yoshida (Japan, USA) 82
Apoptosis and nestin expression in the cortex and cultured astrocytes following 6-OHDA administration
Y.M. Yoo, U. Lee and Y.J. Kim (South Korea) 88
Lack of association between IDE genetic variability and Down's syndrome
C. Arpino, A. Piciullo, M. Palmarino, P. Saccucci, C. Galasso, P. Lucarelli and P. Curatolo (Italy) 93
Repeated maternal dexamethasone treatments in late gestation increases 11β-hydroxysteroid dehydrogenase type 1 expression in the hippocampus of the newborn rat
S. Wan, R. Hao and K. Sun (PR China) 96
C31 enhances voltage-gated calcium channel currents in undifferentiated PC12 cells
Z.-G. Ma, J. Wang, H. Jiang, J.-X. Xie and L. Chen (China) 102
Relationship between CNV and timing of an upcoming event
M. Pfeuty, R. Ragot and V. Pouthas (France) 106
Effects of 50 Hz electromagnetic fields on electroencephalographic alpha activity, dental pain threshold and cardiovascular parameters in humans
S. Ghione, C.D. Seppia, L. Mezzasalma and L. Bonfiglio (Italy) 112
The sequelae of cranial irradiation on human cognition
V. Sarkissian (USA) 118

doi:10.1016/S0304-3940(05)00604-X

Urocortin stimulates tyrosine hydroxylase activity via the cAMP/protein kinase A pathway in rat Pheochromocytoma PC12 cells
T. Nanmoku, K. Takekoshi, T. Fukuda, K. Isobe, S. Shibuya and Y. Kawakami (Japan) 124
Antibody array analysis of peripheral and blood cytokine levels in rats after masseter inflammation
M. Watanabe, W. Guo, S. Zou, S. Sugiyo, R. Dubner and K. Ren (USA) 128
The paradoxical effects of SKF83959, a novel dopamine D_1-like receptor agonist, in the rat acoustic startle reflex paradigm
Z.-J. Zhang, X.-L. Jiang, S.E. Zhang, C.J. Hough, H. Li, J.-G. Chen and X.-C. Zhen (USA, China) 134
Relationship between preterm birth and circadian typology in adolescence
V. Natale, A. Sansavini, E. Trombini, M.J. Esposito, R. Alessandroni and G. Faldella (Italy) 139
Ferrous and ferric iron accumulates in the brain of aged Long–Evans Cinnamon rats, an animal model of Wilson's disease
J.-M. Kim, S.-B. Ko, S.-J. Kwon, H.-J. Kim, M.-K. Han, D.W. Kim, S.S. Cho and B.S. Jeon (South Korea) 143
Effects of selective tumor necrosis factor-alpha inhibition to pain-behavioral changes caused by nucleus pulposus-induced damage to the spinal nerve in rats
Y. Murata, K. Olmarker, I. Takahashi, K. Takahashi and B. Rydevik (Japan, Sweden) 148
A GABAergic projection from the central nucleus of the amygdala to the parabrachial nucleus: an ultrastructural study of anterograde tracing in combination with post-embedding immunocytochemistry in the rat
H.-G. Jia, G.-Y. Zhang and Q. Wan (People's Republic of China) 153
Effect of repeated nicotine exposure on high-affinity nicotinic acetylcholine receptor density in spontaneously hypertensive rats
E.J. Hohnadel, C.M. Hernandez, D.A. Gearhart and A.V. Terry Jr. (USA) 158
The dynamics of hippocampal sensory gating during the development of morphine dependence and withdrawal in rats
J. Zheng, Y. Yang, S. Tian, J. Chen, F.A.W. Wilson and Y. Ma (PR China) 164
EEG-based neuroprosthesis control: A step towards clinical practice
G.R. Müller-Putz, R. Scherer, G. Pfurtscheller and R. Rupp (Austria, Germany) 169
The neuronal POU transcription factor Brn-2 interacts with Jab1, a gene involved in the onset of neurodegenerative diseases
Y.-T. Huang, K. Iwamoto, T. Kurosaki, M. Nasu and S. Ueda (Japan) 175
Polymorphisms in the *TSHR* (thyrotropin receptor) gene on chromosome 14q31 are not associated with mental retardation in the iodine-deficient areas of China
T.-w. Guo, F.-c. Zhang, J.-j. Gao, L. Bian, X.-c. Gao, J. Ma, M. Yang, Q. Ji, S.-w. Duan, Z.-j. Zheng, R.-l. Li, G.-y. Feng, D. St. Clair and L. He (China, UK) 179
Geldanamycin increases 4-hydroxynonenal (HNE)-induced cell death in human retinal pigment epithelial cells
K. Kaarniranta, T. Ryhänen, H.M. Karjalainen, M.J. Lammi, T. Suuronen, A. Huhtala, M. Kontkanen, M. Teräsvirta, H. Uusitalo and A. Salminen (Finland) 185
Analysis of *SCA-2* and *SCA-3* repeats in Parkinsonism: Evidence of *SCA-2* expansion in a family with autosomal dominant Parkinson's disease
J. Simon-Sanchez, M. Hanson, A. Singleton, D. Hernandez, A. McInerney, R. Nussbaum, J. Werner, M. Gallardo, R. Weiser, K. Gwinn-Hardy, A.B. Singleton and J. Clarimon (USA, Spain, Venezuela) 191
Behavioral changes following antisense oligonucleotide-induced reduction of organic cation transporter-3 in mice
K. Kitaichi, M. Fukuda, H. Nakayama, N. Aoyama, Y. Ito, Y. Fujimoto, K. Takagi, K. Takagi and T. Hasegawa (Japan) 195

Volume 382, no 3

A minimal limit-cycle model of hand kinematics in basket-ball-bouncing
T. Mohamed, B. Nicolas and M. Denis (France) 201
Effects of 7-nitroindazole and *N*-nitro-L-arginine methyl ester on changes in cerebral blood flow and nitric oxide production preceding development of hyperbaric oxygen-induced seizures in rats
S. Hagioka, Y. Takeda, S. Zhang, T. Sato and K. Morita (Japan) 206
Neural activity associated with cognitive regulation in heroin users: A fMRI study
T.M.C. Lee, W.-h. Zhou, X.-j. Luo, K.S.L. Yuen, X.-z. Ruan and X.-c. Weng (PR China) 211
Increased iron-induced oxidative stress and toxicity in scrapie-infected neuroblastoma cells
S. Fernaeus and T. Land (Sweden) 217
Association study and meta-analysis of low-density lipoprotein receptor related protein in Alzheimer's disease
A. Pritchard, J. Harris, C.W. Pritchard, D. St. Clair, H. Lemmon, J.-C. Lambert, M.-C. Chartier-Harlin, A. Hayes, U. Thaker, T. Iwatsubo, D.M.A. Mann and C. Lendon (UK, France, Japan) 221
(−)-Epigallocatechin gallate as an intervention for the acute treatment of cerebral ischemia
R.M.A. Rahman, S.M. Nair, S.C. Helps, O.M. Shaw, N.R. Sims, R.J. Rosengren and I. Appleton (New Zealand, Australia) 227
Effect of the cannabinoid ajulemic acid on rat models of neuropathic and inflammatory pain
V.A. Mitchell, S. Aslan, R. Safaei and C.W. Vaughan (Australia) 231
Effects of acupuncture on the expression of glial cell line-derived neurotrophic factor (GDNF) and basic fibroblast growth factor (FGF-2/bFGF) in the left sixth lumbar dorsal root ganglion following removal of adjacent dorsal root ganglia
T.T.-H. Wang, Y. Yuan, Y. Kang, W.-L. Yuan, H.-T. Zhang, L.-Y. Wu and Z.-T. Feng (China) 236
The effect of isoflurane and halothane on electroencephalographic activation elicited by repetitive noxious c-fiber stimulation
L. Barter, C.L. Dominguez, E. Carstens and J.F. Antognini (USA) 242
Biogenic amine and neuropeptide inputs to identified pelvic floor motoneurons that also express SRC-1
R.N. Ranson, R.M. Santer and A.H.D. Watson (UK) 248
Recruitment of fusiform face area associated with listening to degraded speech sounds in auditory–visual speech perception: a PET study
T. Kawase, K. Yamaguchi, T. Ogawa, K.-i. Suzuki, M. Suzuki, M. Itoh, T. Kobayashi and T. Fujii (Japan) 254

E2F4 expression patterns in SIV encephalitis
K.L. Morgan, E.M. Chalovich, G.D. Strachan, L.L. Otis and K.L. Jordan-Sciutto (USA) 259
GABAergic neurons express μ-opioid receptors in the ventrolateral orbital cortex of the rat
F.-Q. Huo, J. Wang, Y.-Q. Li, T. Chen, F. Han and J.-S. Tang (China) 265
Voxel-based morphometry to discriminate early Alzheimer's disease from controls
Y. Hirata, H. Matsuda, K. Nemoto, T. Ohnishi, K. Hirao, F. Yamashita, T. Asada, S. Iwabuchi and H. Samejima (Japan) 269
AMPA/kainate receptors mediate axonal morphological disruption in hypoxic white matter
S.B. Tekkök, B.T. Faddis and M.P. Goldberg (USA) 275
Facilitating visuospatial attention for the contralateral hemifield by repetitive TMS on the posterior parietal cortex
Y.-H. Kim, S.-J. Min, M.-H. Ko, J.-W. Park, S.H. Jang and P.K.W. Lee (Republic of Korea) 280
Post-ischemic administration of progesterone in rats exerts neuroprotective effects on the hippocampus
G. Moralí, G. Letechipía-Vallejo, E. López-Loeza, P. Montes, L. Hernández-Morales and M. Cervantes (Mexico) 286
Changes in EEG alpha power to different disgust elicitors: the specificity of mutilations
M. Sarlo, G. Buodo, S. Poli and D. Palomba (Italy) 291
Genetic analysis of parkin co-regulated gene (*PACRG*) in patients with early-onset parkinsonism
H. Deng, W.-D. Le, W.-J. Xie, T.-H. Pan, X. Zhang and J. Jankovic (USA) 297
The *T-786C* NOS3 polymorphism in Alzheimer's disease: Association and influence on gene expression
E. Venturelli, D. Galimberti, C. Lovati, C. Fenoglio, D. Scalabrini, C. Mariani, G. Forloni, N. Bresolin and E. Scarpini (Italy) 300
Hearing impairment in TRPV4 knockout mice
K. Tabuchi, M. Suzuki, A. Mizuno and A. Hara (Japan) 304
LRRK2 R1441G in Spanish patients with Parkinson's disease
I.F. Mata, J.P. Taylor, J. Kachergus, M. Hulihan, C. Huerta, C. Lahoz, M. Blazquez, L.M. Guisasola, C. Salvador, R. Ribacoba, C. Martinez, M. Farrer and V. Alvarez (USA, Spain) 309
Investigation of the primary visual cortex using short-interval paired-pulse transcranial magnetic stimulation (TMS)
R. Sparing, N. Dambeck, K. Stock, I.G. Meister, D. Huetter and B. Boroojerdi (Germany) 312
Deficits in hippocampal CA1 LTP induced by TBS but not HFS in the Ts65Dn mouse: A model of Down syndrome
A.C.S. Costa and M.J. Grybko (USA) 317
Altered expression of myocilin in the brain of a mouse model for phenylketonuria (PKU)
S. Surendran, D. Matalon, S.K. Tyring, P.L. Rady, G.V. Velagaleti and R. Matalon (USA) 323
1-*N*-Substituted thiocarbamoyl-3-phenyl-5-thienyl-2-pyrazolines: A novel cholinesterase and selective monoamine oxidase B inhibitors for the treatment of Parkinson's and Alzheimer's diseases
G. Ucar, N. Gokhan, A. Yesilada and A.A. Bilgin (Turkey) 327
Subunit-dependent block by isoflurane of wild-type and mutant α_1S270H $GABA_A$ receptor currents in *Xenopus* oocytes
A.C. Hall, R.J.N. Stevens, B.A. Betts, W.-Y. Yeung, J.C. Kelley and N.L. Harrison (USA) 332
Responsiveness to cholinesterase inhibitors in Alzheimer's disease: A possible role for the 192 Q/R polymorphism of the PON-1 gene
R. Pola, A. Flex, M. Ciaburri, E. Rovella, A. Valiani, G. Reali, M.C. Silveri and R. Bernabei (Italy) 338
Muscle regeneration in dystrophic *mdx* mice is enhanced by isosorbide dinitrate
M.J. Marques, M.A.M. Luz, E. Minatel and H.S. Neto (Brazil) 342
Cognitive ERPs are related to ApoE allelic variation in mildly cognitively impaired patients
I. Reinvang, T. Espeseth and L. Gjerstad (Norway) 346

Author Index 352
Volume of Contents I